

1 Year Limited Warranty

The Coleman Company, Inc. ("Coleman") warrants that for a period of 1 year from the date of original retail purchase, this product will be free from defects in material and workmanship. Coleman, at its option, will repair or replace this product or any component of the product found to be defective during the warranty period. Replacement will be made with a new or remanufactured product or component. If the product is no longer available, replacement may be made with a similar product of equal or greater value. This is your exclusive warranty.

This warranty is valid for the original retail purchaser from the date of initial retail purchase and is not transferable. Keep the original sales receipt. Proof of purchase is required to obtain warranty performance. Coleman dealers, service centers, or retail stores selling Sevylor® products do not have the right to alter, modify or in any way change the terms and conditions of this warranty.

What This Warranty Does Not Cover

This warranty does not cover normal wear of parts, parts that are not genuine Sevylor® parts, or damage resulting from any of the following: negligent use or misuse of the product; commercial use of the product; use contrary to the operating instructions; disassembly, repair or alteration by anyone other than Coleman or an authorized service center. Further, the warranty does not cover Acts of God, such as fire, flood, hurricanes and tornadoes. Warranty void if damage to product results from the use of a part other than a genuine Sevylor® part.

COLEMAN SHALL NOT BE LIABLE FOR DEFECTS THAT ARE CAUSED BY THE USE OF UNAUTHORIZED PARTS OR SERVICE. COLEMAN SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES CAUSED BY THE BREACH OF ANY EXPRESS OR IMPLIED WARRANTY OR CONDITIONS. EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED IN DURATION TO THE DURATION OF THE ABOVE WARRANTY OR CONDITIONS. SOME STATES, PROVINCES, OR JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES OR LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE OR PROVINCE TO PROVINCE.

How to Obtain Warranty Service

Take the product to an authorized Coleman service center. You can find the nearest authorized Coleman service center by visiting www.coleman.com or calling 1-800-835-3278 or TDD 1-316-832-8707 in the United States or 1-800-387-6161 in Canada. If a service center is not conveniently located, attach to the product a tag that includes your name, address, daytime telephone number and description of the problem. Include a copy of the original sales receipt. **Carefully package the product and send either by courier or insured mail with shipping and insurance prepaid to:**


For products purchased in the United States:

The Coleman Company, Inc.
3600 North Hydraulic
Wichita, KS 67219 U.S.A.

The costs of transporting the product to Coleman or an authorized service center for warranty service is the responsibility of the purchaser.

DO NOT RETURN THIS PRODUCT TO THE PLACE OF PURCHASE.

If you have any questions regarding this warranty please call 1-800-835-3278 or TDD 1-316-832-8707.

© 2010 The Coleman Company, Inc. All rights reserved.
QuickPump™ and Double Lock™ are trademarks of The Coleman Company, Inc.
Sevylor® is a registered trademark and  QuikPak™ is a trademark of Sevca. LLC.



3600 North Hydraulic • Wichita, KS 67219 U.S.A.
1-800-835-3278 • www.Sevylor.com

4010011085 (ECN20016064-01)



INFLATABLE QUIKPAK™ KAYAKS

READ THE FOLLOWING INSTRUCTIONS AND WARNINGS TO AVOID DROWNING OR SERIOUS INJURY



CAUTION:

Safety Warning

Paddle sports can be very dangerous and physically demanding. The user of this product should understand that participating in paddle sports may involve serious injury or death. Observe the following safety standards whenever using this product.

- It is the owner's responsibility to carefully read the manual and instruct all users in safe operation of this product.
- Not a life saving device.
- Get paddle sport instruction specific to this type of craft.
- Obtain certified first aid training and carry first aid and safety/rescue equipment.
- Always wear an approved Personal Flotation Device (Life Preserver).
- Wear a helmet when appropriate.
- Dress appropriately for weather conditions; cold water and/or cold weather can result in hypothermia.
- Never paddle alone.
- Do not paddle in flood conditions.
- Be aware of river water levels, tidal changes, dangerous currents and weather changes.
- Do not use in high wind, strong currents, open water or dangerous tides.
- Scout unfamiliar waters; portage when appropriate.
- Do not exceed your paddling ability; be honest with yourself.
- Consult a physician prior to beginning your paddle sport training.
- Do not use this product under the influence of alcohol or drugs.
- Do not make any alterations to this product.
- Do not overload or over inflate.
- Never tow from another boat or vehicle.
- Know and follow local water safety rules and boating regulations.

IMPORTANT! Inflate the product chambers in the following order:

K5 QuikPak™ Kayak

1. Inflate the floor chamber.
2. Inflate the DIN chamber.
3. Inflate the outside main chamber.

K3 QuikPak™ Kayak

1. Inflate the inner main chamber.
2. Inflate the outer main chamber.

K1 QuikPak™ Kayak

1. Inflate the two foot wells chambers.
2. Inflate the inner main chamber.
3. Inflate the outer main chamber.
4. Inflate seat back.

The chambers on the product will also be numbered to indicate order of inflation. This order of inflation will ensure the proper volume and buoyancy of the safety chamber.


Note: To inflate the mini Double Lock™ valve, which is used on some of the Sevylor® product floors and seat bottoms, follow the same inflation instructions above or previous instructions, using the mini Double Lock™ valve adapter. The mini Double Lock™ valve adapter is included with all Sevylor® pumps. The adapter can be purchased from Sevylor Customer Service by calling 1-800-835-3278 (Part Number 5010000707).

⚠ CAUTION!

Water temperature and weather does affect the pressure in inflatable products. In cold weather your product will lose some pressure due to the fact the air will contract. If this occurs, you may want to add a little air to improve your products performance. However, in hot weather, the air will expand. You must let some air out to prevent your product from failing due to overpressure. You should avoid exposing your product to extreme temperatures (hot or cold).


DEFLATION INSTRUCTIONS

Deflation instructions using any Sevylor® QuickPump™ unit:




Remove adapter hose from inflation end and attach to opposite deflation end of pump. Repeat same steps as inflation. This will draw the air out quickly.

Deflation instructions using the Sevylor® Dual Action Hand Pump:




Remove adapter hose from inflation port and attach to deflation port. Repeat same steps as inflation. This will draw the air out quickly.


K5 QuikPak™ Kayak Set Up Instructions




1. Remove QuikPak™ kayak from box




2. Unbuckle waist strap and shoulder straps. Unzip or remove spray skirt.




3. Unbuckle inner support straps.




4. Remove kayak from QuikPak™ unit and set kayak aside.




5. Pull shoulder straps through openings in QuikPak™ unit.



6. Fold bottom flap and inner support straps into the QuikPak™ unit.




7. Fold over side flaps and secure with the hook & loop strips.




8. Turn seat over and set aside.


Inflate Kayak (using order shown below)




9. Inflate outer chamber to 0.9 PSI.




10. Inflate DIN chamber to 0.9 PSI.




11. Inflate floor chamber to 0.9 PSI.




12. Take seat that was set aside in step 8, fold with velcro downwards as shown.




13. Line up hook & loop strip on seat bottom with the hook & loop strip on the kayak floor.




14. Place seat in kayak with the hook & loop strips secured as shown in step 13.



15. Attach back rest buckles on seat to the buckles on the kayak.




16. Adjust backrest straps to desired tension



17. Zip spray skirt onto kayak.

Your QuikPak™ Kayak is now ready for use.


K5 QuikPak™ Kayak Breakdown/Storage Instructions




1. Remove kayak seat.
2. Remove spray skirt and deflate kayak.




3. Unfold side flaps, bottom flap & inner support straps.




4. Pull shoulder straps through the openings.




5. Fold kayak using the following steps.
 - 5a. Fold kayak lengthwise to center as shown in the above image.




- 5b. Fold kayak lengthwise again as shown in the above image.



- 5c. Fold over ends of kayak as shown in the above image.




9. Turn seat over and set aside.




10. Unfold kayak and install detachable fin to connectors on bottom, rear of kayak, by hooking the fin tabs into the slots on the connectors.

Note: Skip step 10 if model comes with permanently attached fin


Inflate Kayak (using order shown below)




11. Inflate inner chamber to 0.9 PSI.




12. Inflate outer chamber to 0.9 PSI.



13. Take seat that was set aside in step 9, and fold as shown.



Seat Hook & Loop Strips




Kayak Hook & Loop Strips




Installed Seat

14. Line up hook & loop strips on seat bottom with the hook & loop strips on the kayak floor. (See the following image that show installed seat)




15. Connect seat backrest buckles to buckles on kayak.




16. Adjust backrest straps to your desired tension.

Your QuikPak™ Kayak is now ready for use.


K3 QuikPak™ Kayak Breakdown/Storage Instructions




1. Remove kayak seat & deflate kayak.
2. Unfold kayak seat as shown in figure above.




3. Pull shoulder straps back through openings.




4. Turn QuikPak™ unit over and set aside.




5. Fold kayak using the following steps.
5a. Fold kayak lengthwise to center as shown in the above image.




5b. Fold kayak lengthwise again, as shown in the above image.





5d. Fold over the other kayak end, as shown in the above image.




6. Place kayak into QuikPak™ unit, as shown in above image.




8. Fold over rear flap and zip closed.




5c. Fold over kayak end to strake, as shown in the above image.



5e. Fold kayak in half, with strake up, as shown in the above image.



7. Fold over bottom flap and buckle the inner support strap & pull tight.




9. Buckle shoulder straps.


10. Store pump in cargo net on rear of QuikPak™. Store paddle in side pockets and use hook & loop straps to secure the top of the paddle shafts.

Your QuikPak™ kayak is now ready to transport or store.


K1 QuikPak™ Kayak Set Up Instructions




1. Remove QuikPak™ Kayak from box.




2. Unbuckle shoulder straps & waist strap.




3. Turn QuikPak™ unit over and unbuckle the support strap.



4. Pull the male buckles on cargo net out from each female buckle.



5. Remove cargo net and set aside.




6. Remove kayak and set aside. Fold shoulder straps into QuikPak™ unit as shown above.




7. Fold over left side flap of QuikPak™ unit, as shown above.

NOTE: Left side must be folded over first so the hook & loop strips can be attached.




8. Fold over right side flap of QuikPak™ unit, attaching the hook & loop strips to secure the QuikPak™ unit side flaps.




9. Buckle & tighten the support strap and set aside.


Inflate Kayak (using order shown below)




10. Inflate kayak using the following steps.
10a. Inflate foot wells to 0.5 PSI.




10b. Inflate inner chamber to 0.5 PSI.




10c. Inflate outer chamber to 0.5 PSI.




10d. Inflate seat back to 0.5 PSI.




11. With male buckles facing downward, place cargo net onto kayak in the position as shown above.




12. Insert each male buckle into the slots on kayak.





13. The cargo net installed onto kayak.




14. Kayak seat.



15. Align hook & loop strip on kayak with the hook & loop strip on the bottom of the seat.




16. Connect the seat back strap buckles to the buckles on the kayak.




17. Adjust seat back straps to your desired tension.


K1 QuikPak™ Kayak Breakdown/Storage Instructions




1. Remove kayak seat, remove cargo net & deflate kayak.
2. Unfold kayak seat in reverse order (QuikPak™ unit should look as shown above).




3. Fold kayak using the following steps.
3a. Fold kayak lengthwise to center as shown above.



3b. Fold kayak lengthwise again, as shown above.




3c. Fold over end of kayak, as shown above.



3d. Fold over other end of kayak, as shown above.




3e. Fold kayak in half, as shown above.




4. Place kayak into QuikPak™ unit.




5. Fold up left & right side flaps, buckle & tighten support strap.



6. Install cargo net, as shown above (Refer to step 4 of K1 setup instructions for assistance).



7. Buckle shoulder straps.



8. Store pump in cargo net on rear of QuikPak™ unit. Store paddle in side pockets and use hook & loop straps to secure the top of the paddle shafts.

Your QuikPak™ kayak is now ready to transport or store.

Your product is NMMA certified using the ABYC standard.



⚠ WARNING!

Do not exceed the certified maximum capacities under any circumstances!

NMMA (ABYC Standard)	Persons Capacity	Maximum Payload Capacity	Inflation Pressure	Inflation Pressure
Model #	Persons Only	Persons, Gear	Main Chamber(s)	Floor Chamber(s)
K5 QuikPak™ Kayak	1 Pers. or 250 lbs.	250 lbs	0.9 PSI	0.9 PSI
K3 QuikPak™ Kayak	1 Pers. or 250 lbs	250 lbs.	0.9 PSI	0.9 PSI
K1 QuikPak™ Kayak	1 Pers. or 400 lbs	400 lbs.	0.5 PSI	0.5 PSI

OPERATING INSTRUCTIONS:

- Follow all local boating regulations and navigation rules. Familiarize yourself with boating conditions where you plan to use the boat. Use common sense and caution when operating in unfamiliar places.
- Observe the maximum weight the product can carry and do not overload past this limit. Over-loading jeopardizes the safety of the occupants.
- Be sure all accessories and/or equipment (e.g. oars, life jackets) are in proper working condition before using the boat. Each person occupying the boat is to wear an approved Personal Flotation Device (life preserver).
- Sharp objects are not to be carried in the product without adequate protection or storage.
- When navigating the product in any water depth, watch for submerged or sharp objects that may damage or pierce the boat's air chambers.
- Enter the product from the port (left) or starboard (right) sides - not from the fore (front) or aft (back) sides.
- Never tow with a boat or any other vehicle.

MOTOR MOUNTING

⚠ CAUTION!

Do not mount a motor on any of these kayaks.

CARE & STORAGE:

- These products are made of the highest quality materials and comply with NMMA (National Marine Manufacturers Association) regulations. Altering the construction of these products will void the limited warranty and could jeopardize the safety of the occupants.
- If your product has been used in salt water, rinse it off with fresh water as soon as possible.
- Remove tar spots or other soiled areas by using a mild soap and rinsing with fresh water.
- Be sure your product is completely dry before storing.
- The products may be stored inflated, but do not place any heavy or sharp objects on it. Storage is best in a dry room.

REPAIRING SMALL PUNCTURES

For inadvertent punctures, you can repair them with the included Sevylor® repair patch.

INSTRUCTIONS:

1. Thoroughly clean and dry the damaged area. Completely deflate if an inflatable article.
2. Cut a portion of the patch to cover the puncture, and allow an additional ¼" on all sides. Always cut a round or oval patch. Never leave corners.
3. Be sure the spot is completely dry.
4. Peel the backing from the patch.
5. Adhere the patch to the puncture.
6. Using your thumb or finger apply even pressure across the entire surface of the patch.

The Sevylor® AirSeal repair kit is also another repair option available (Model # 2000003730 - not included). Sevylor® AirSeal is a fast, reliable repair for vinyl inflatables: air mattresses, toys, pools, boats as well as rainwear, groundsheets, golf bags, etc.

INSTRUCTIONS:

1. Thoroughly clean and dry the damaged area. Completely deflate if an inflatable article.
2. When the damage is small (a pin hole or tear under 2 inches) apply a light coat of AirSeal two or three times. Allow five minutes to dry between each application.
3. For heavier material, e.g. fabric backed vinyl or a vinyl boat, apply up to five coats allowing a five-minute drying period between coats.
4. Ensure the AirSeal is completely dry before resuming use of the article.
5. When the damage is more extensive, cut a patch (with rounded corners) using any vinyl material. Generously coat the damaged area spreading the AirSeal at least 3/8" from the torn edges. Apply the patch and apply AirSeal to all edges of the patch making a seal between patch and the item being repaired. Allow the article to dry at least 10 hours before using.

AirSeal contains sufficient material for several small repairs.

AirSeal is intended for use with 100% PVC (poly vinyl chloride) only.

Do not use with any other material.

You may purchase the Sevylor® repair patch (Model # 2000003731) and Sevylor® AirSeal (Model # 2000003730) by calling Coleman Customer Service at 1-800-835-3278 or going to www.sevylor.com.




Seylor
 3600 N HYDRAULIC ST
 WICHITA KS 67219-9954


POSTAGE WILL BE PAID BY ADDRESSEE

BUSINESS REPLY MAIL
 FIRST-CLASS MAIL PERMIT NO. 5422 WICHITA KS

ATTN: Dept. 586
 Please do not send other
 correspondence to the
 address below.



PLEASE FOLD AND SEAL WITH TAPE DO NOT STAPLE



NO POSTAGE
 IF MAILED
 IN THE
 UNITED STATES

FOLD

**Seylor® Boat
 Registration Card**

IMPORTANT!

COMPLETE THE ATTACHED REGISTRATION CARD AND RETURN WITHIN 10 DAYS TO RECEIVE THESE IMPORTANT BENEFITS:

PROTECT YOUR PRODUCT:
 We will keep the model number and date of purchase of your new Seylor® product on file to help you refer to this information in the event of an insurance claim such as fire or theft.

PROMOTE BETTER PRODUCTS:
 We value your input. Your responses will help us develop products designed to best meet your needs.

FOR VALUE RECEIVED, in the amount of \$ _____, the undersigned hereby transfers the Certificate of Origin and the boat described therein to: _____

FIRST ASSIGNMENT

Address: _____ and certifies that the boat is new and has not been registered in this or any other state; he also warrants the title of said boat at time of delivery, subject to the liens and encumbrances, as set out below:

AMT. OF LIEN	DATE	TO WHOM DUE	ADDRESS
AMT. OF LIEN	DATE	TO WHOM DUE	ADDRESS
DATED		LOCATION	
TRANSFEROR FIRM NAME		BY (SIGNATURE)	
		TITLE OR POSITION	

Before me personally appeared _____ who by me being duly sworn upon oath says that the statements set forth above are true and correct. Subscribed and sworn to before me this _____ day of _____, this year of _____.

NOTARY PUBLIC _____ SEAL _____ DATE COMMISSION EXPIRES _____

SECOND ASSIGNMENT

FOR VALUE RECEIVED, in the amount of \$ _____, the undersigned hereby transfers the Certificate of Origin and the boat described therein to: _____

Address: _____ and certifies that the boat is new and has not been registered in this or any other state; he also warrants the title of said boat at time of delivery, subject to the liens and encumbrances, as set out below:

AMT. OF LIEN	DATE	TO WHOM DUE	ADDRESS
AMT. OF LIEN	DATE	TO WHOM DUE	ADDRESS
DATED		LOCATION	
TRANSFEROR FIRM NAME		BY (SIGNATURE)	
		TITLE OR POSITION	

Before me personally appeared _____ who by me being duly sworn upon oath says that the statements set forth above are true and correct. Subscribed and sworn to before me this _____ day of _____, this year of _____.

NOTARY PUBLIC _____ SEAL _____ DATE COMMISSION EXPIRES _____

CONGRATULATIONS ON YOUR NEW SEVYLOR® BOAT PURCHASE!

The United States Coast Guard (USCG) requires boat manufacturers to request the first purchaser's name and address for all boats that fall under the USCG laws. This enables the manufacturer to notify the boat's first purchaser of important safety related matters specific to their boat. Please complete and return this registration card to assist us with this requirement. If you have any questions about this request or your product, please call Customer Service at 1-800-328-3208.

For easier/faster registration, please go to the product registration section of our website at www.sevylor.com.

First Name: _____ Initial: _____ Last Name: _____
 Address (Number and Street): _____ Apt #: _____
 City: _____ State: _____ Zip: _____ Country: _____
 Phone #: _____
 Date of Purchase: _____ Store where purchased: _____
 (Month Day Year)
 Product Model Number: _____
 H.I.N. #: _____
 Dealer's Name: _____
 Address: _____
 City: _____ State: _____ Zip: _____ Country: _____

Can we contact you with promotional information or updates about our products?
 Yes, Please contact me. No, Thanks

E-mail Address: _____

The following questions are not required to register your product but will greatly assist us in understanding your needs and building better performing products.

1. Overall, how would you rate your satisfaction in the following areas?
 a. Overall satisfaction with boat
- | | | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Extremely Satisfied | 4 | 3 | 2 | 1 | Extremely Dissatisfied | 0 | Not Applicable |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
2. Is this your first boat? Yes No
3. How often do you use your boat?
 Daily Weekly Once per month
 Twice per month Less frequently
4. How many boats have you owned prior to this purchase?
 1-2 boats 3-4 boats 5-6 boats
 7-8 boats 8+ boats
5. Please indicate where your product will be used (check all that apply):
 Water Type
 Salt water only Mostly salt water, some fresh water
 Evenly, salt and fresh water Mostly fresh water, some salt water
 Fresh water only Don't know
 Body of Water
 Lakes Rivers Bays Oceans
 Intercoastal water ways Others
6. Gender: Male Female
7. Date of your birth: _____
 (Month Day Year)
8. Marriage status: Single Married
9. Education: (Check only one.)
 High school diploma Some college College degree
 Some graduate school Graduate degree
10. For your primary residence, do you: Own Rent
11. Number of people in household: _____
12. Number of kids in household under 18 years of age: _____
13. Which best describes your family income?
 Under \$15,000 \$50,000 - \$74,999
 \$15,000 - \$24,999 \$75,000 - \$99,999
 \$25,000 - \$34,999 \$100,000 - \$149,999
 \$35,000 - \$49,999 Over \$150,000
14. What other brands did you consider?: _____
15. Do you participate in any of the following activities? (Please check all that apply.)
 Hiking/Backpacking Backyard Entertaining Picnicking
 Attend Auto Racing Going to the Beach Fishing
 Leisure Walking Rock Climbing Tailgating
 Tent Camping Barbecuing Kayaking
 RV Camping Canoeing Bicycling
 Entertaining Hunting Boating

Manufacturer's Statement of Origin (MSO) for a vessel. Used in the United States only.
 As a rule, all states require any boat used with a motor to be registered with the state in which you live. Some states require all boats be registered regardless of how they are propelled. Contact your state agency responsible for boat registration for details. If your state requires an MSO to register your boat, your Dealer and you can fill out the front side of this blank MSO. Your Dealer must also fill out the "First Assignment" portion on the back and have it notarized.

SOLD IN THE STATE OF _____

The undersigned manufacturer hereby certifies that the new boat described below, the property of said manufacturer, has been transferred this _____ day of _____, this year of _____, on invoice No. _____ to:

DEALER NAME

ADDRESS

CITY

STATE

ZIP CODE

MANUFACTURER'S HULL IDENTIFICATION NUMBER

DESCRIPTION OF VESSEL

U.S. COAST GUARD CAPACITY PLATE INFORMATION
 (WHERE APPLICABLE)

MODEL NAME

MODEL YEAR

MAXIMUM HORSEPOWER RATING

TYPE OF BOAT

PROPULSION

MAXIMUM PERSON CAPACITY IN WHOLE PERSONS

HULL MATERIAL

LENGTH

BEAM

MAXIMUM WEIGHT CAPACITY (PERSONS, MOTOR, GEAR, ETC.)

BUILT FOR

PLEASURE USE

The manufacturer further certifies that this was the first transfer of such new boat in ordinary trade and commerce, and that all information given herein is true and accurate to the best of his knowledge.

NAME OF MANUFACTURER

THE COLEMAN COMPANY, INC.

BY (AUTHORIZED SIGNATURE)

Ally Coleman

TITLE OR POSITION

DIRECTOR, PRODUCT SAFETY AND COMPLIANCE